

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	541	318/812	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:34
S2	52	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1)) adj2 (axis\$2 or axial or axes\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 09:28
S3	38	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 09:33
S4	35	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) and ((tim\$4 or period or interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 09:37
S5	24	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage or current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 09:43
S6	18	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage or current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 09:46
S7	15	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage and current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:45
S8	10	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage and current and torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:27
S9	7	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage and current and torque)) and position\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:45
S10	5	S1 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and ((tim\$4 or period or interval) and ((command or desired) near4 (voltage and current and torque)) and position\$4 and (proportion\$4 or integra\$4 or pi or pid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:50

EAST Search History

S11	50	(US-5278485-\$ or US-6528966-\$ or US-6396310-\$ or US-6184638-\$ or US-4302818-\$ or US-4453116-\$ or US-4023083-\$ or US-4088935-\$ or US-4348627-\$ or US-4384321-\$ or US-4418308-\$ or US-4481569-\$ or US-4484126-\$ or US-4761598-\$ or US-4814677-\$ or US-5006768-\$ or US-5319294-\$ or US-5428283-\$ or US-5585708-\$ or US-5587641-\$ or US-5646496-\$ or US-5760562-\$ or US-5847535-\$ or US-5923251-\$ or US-5936377-\$ or US-6002234-\$).did. or (US-6064638-\$ or US-6304052-\$ or US-6362586-\$ or US-6577691-\$ or US-6850033-\$ or US-6166591-\$ or US-5652495-\$ or US-5689166-\$ or US-4884016-\$ or US-5003243-\$ or US-5047700-\$ or US-5189355-\$ or US-5365158-\$ or US-5488286-\$ or US-5495918-\$ or US-5502360-\$ or US-5509504-\$ or US-5843142-\$ or US-6040676-\$ or US-6707277-\$ or US-6864662-\$ or US-5614803-\$ or US-6051806-\$ or US-4780658-\$).did.	USPAT	OR	ON	2005/11/23 11:50
S12	6	S11 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and (tim\$4 or period or interval) and ((command or desired) near4 (voltage and current and torque)) and position\$4 and (proportion\$4 or integra\$4 or pi or pid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 12:25
S13	10	((("6605912") or ("6407531") or ("6163128") or ("6456031") or ("20020145837")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 11:54
S14	14	(US-20020145837-\$).did. or (US-6762581-\$ or US-6809492-\$ or US-6690139-\$ or US-6642689-\$ or US-6194865-\$ or US-5689166-\$ or US-6850033-\$ or US-6362586-\$ or US-5502360-\$ or US-5652495-\$ or US-4023083-\$ or US-6407531-\$ or US-6163128-\$).did.	US-PGPUB; USPAT	OR	ON	2005/11/23 12:25
S15	7	S14 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and ((limit\$4 or threshold or maximum) near9 (current or voltage)) and (tim\$4 or period or interval) and ((command or desired) near4 (voltage and current and torque)) and position\$4 and (proportion\$4 or integra\$4 or pi or pid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 12:29
S16	0	".3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 12:28
S17	7	"6194865"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:56
S18	50	(US-5652495-\$ or US-6051806-\$ or US-5689166-\$ or US-5319294-\$ or US-6528966-\$ or US-5003243-\$ or US-5278485-\$ or US-4453116-\$ or US-4481569-\$ or US-5189355-\$ or US-4884016-\$ or US-5047700-\$ or US-6396310-\$ or US-6864662-\$ or US-5843142-\$ or US-5585708-\$ or US-5760562-\$ or US-5936377-\$ or US-4814677-\$ or US-4780658-\$ or US-4418308-\$ or US-4348627-\$ or US-4088935-\$ or US-4302818-\$ or US-5646496-\$ or US-6362586-\$).did. or (US-6577691-\$ or US-6707277-\$ or US-6850033-\$ or US-6304052-\$ or US-5502360-\$ or US-6002234-\$ or US-5488286-\$ or US-5495918-\$ or US-5923251-\$ or US-5509504-\$ or US-6166591-\$ or US-5006768-\$ or US-6064638-\$ or US-6040676-\$ or US-6184638-\$ or US-5847535-\$ or US-4761598-\$ or US-5587641-\$ or US-5614803-\$ or US-4023083-\$ or US-4384321-\$ or US-4484126-\$ or US-5365158-\$ or US-5428283-\$).did.	USPAT	OR	ON	2005/11/28 10:03

EAST Search History

S19	19	S18 and torque and (axis or axes) and ((dq\$2 or d\$2 or q\$2) adj2 (axis or axes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:52
S20	19	S19 and (position or angle or angular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:50
S21	18	S18 and torque and (axis or axes) and ((dq\$2 or d\$2 or q\$2) adj2 (axis or axes)) and (position or angle or angular) and (error or differenc\$4 or subtract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:53
S22	2	"20050046370"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 18:31
S23	1	"20050046370" and clamp and pathway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 18:33
S24	1	"20050046370" and clamp and pathway and path\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 19:04
S25	1	"20050046370" and clamp and pathway and path\$4 and limit and second and third and fourth and first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 19:05
S26	7	"6194865"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/09 17:57
S27	4	((("6194865") or ("6809492"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/09 17:57
S28	554	318/812	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 06:42
S29	37	S28 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (limit\$4 or threshold or maximum) and (tim\$4 or period or interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 06:52
S30	20	S28 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (limit\$4 or threshold or maximum) and (tim\$4 or period or interval) and ((input or command) near4 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:02
S31	14	S28 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (limit\$4 or threshold or maximum or clamp\$4) and (pi or pid or (proportional\$2 adj2 integral)) and ((input or command) near4 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:06

EAST Search History

S32	6	S28 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (limit\$4 or threshold or maximum or clamp\$4) and (pi or pid or (proportional\$2 adj2 integral)) and ((input) near4 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:13
S33	7	S28 and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (pi or pid or (proportional\$2 adj2 integral)) and ((input) near4 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:14
S34	132	"318"/\$ and voltage and current and (axis\$2 or axial or axes\$2) and ((dq\$2 or (d\$1 adj2 q\$1) or (d\$1 and q\$1) or (quadrature)) adj2 (axis\$2 or axial or axes\$2)) and torque and (pi or pid or (proportional\$2 adj2 integral)) and ((input) near4 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:16
S35	127	S34 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 07:16
S36	16	("20020171387" "20050110450" "5047909" "5321599" "6008618" "6163128" "6208540" "6222335" "6262896" "6288515" "6362585" "6366043" "6504329" "6507505" "6768280" "6777907").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 07:36
S37	1	"20020113615"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 07:36
S38	5	("4546293" "4727320" "5352962" "5616994" "6538404").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/10 08:39